

VIMP documentation



Table of contents:

- VIMP Configuration


VIMP Configuration

By clicking on the “Configuration” link, the global configuration menu opens.

Within the configuration panel the VIMP portal can be customized to very individual requirements. All functions are equipped with a short description, explaining the settings that can be adjusted and what they will affect.

To change the setting of a function, simply edit the respective value and click on "Save". To reset the settings to the default value, click the “Reset” link.

The search function helps you to quickly find certain configuration parameters.



The screenshot displays the VIMP Configuration interface. On the left is a navigation sidebar with a search bar and a list of menu items: Basic, Portal, E-mail, Templates, Presets, Paging, White labeling, Data collection, Data cleanup, Authentication, Media, Users, Components, Player, Streaming, Ads, Transcoding, Media Import, Media Export, Analytics, Captcha, Payment, API, Clustering, Clients, and ElasticSearch. The main content area is titled "Configuration" and features a "Basic settings" section. This section includes the following parameters:

- Version information:** Public version information for VIMP, value: 5.6
- Base directory:** Absolute path to where VIMP is installed (often called webroot), value: /var/www/vimp/56/web
- Enable Maintenance mode:** Enables maintenance mode for the frontend application, toggle: off
- Enable development controllers:** Warning: Do not activate the development controllers in production environments, as they may contain sensitive information. Note that this option can only be disabled in production mode. toggle: on
- Server user:** Input field containing www-data
- Server group:** Input field containing www-data
- Proxy server:** Empty input field
- Proxy server port:** Empty input field
- cURL: Verify SSL certificates:** toggle: on
- Default language:** Sets the default language of the portal (default: en), dropdown: English
- Default country:** Sets the default country of the portal, dropdown: Germany
- Enable RSS feeds:** toggle: on
- Allowed e-mail domains:** Comma separated list of domains (e.g. vimp.com, gmail.com), empty input field
- Approve e-mail addresses not matching the allowed domains:** toggle: off
- Blocked e-mail domains:** Comma separated list of domains (e.g. vimp.com, gmail.com), input field containing [-]
- Threshold for disk space warning:** Value in percent, below which the low disk space warning is displayed, input field containing 20
- Enable WebP support:** WebP is an alternative to JPG and PNG images with up to 30% smaller file sizes and at least the same quality. When enabled, browsers that support WebP use this better format. toggle: on

 [Download PDF](#)